





KEIM **Interior Paint Systems**

**Environmentally friendly paints for
a comfortable room climate**





KEIM Interior Paints let the walls breathe, are environmentally friendly and make you feel comfortable.




The Products

KEIM Biosil, KEIM Ecosil and KEIM Intact have been specifically developed in response to the rapidly growing demand for truly environmentally friendly paints for interior application.

KEIM Biosil is a universal, easy to use, internal, mineral, silicate based paint. KEIM Biosil is environmentally safe and harmless to the decorator. It has been developed for the decoration of all interior walls and ceilings like children's rooms, living rooms et cetera. KEIM Biosil is an anticondensation coating that does not impair the water vapor permeability of the substrate which is an important aspect for a healthy room climate.

KEIM Ecosil is a high covering, scrub-resistant, internal, mineral, silicate based paint. KEIM Ecosil is ideally suited for the decoration of interior walls and ceilings in heavily frequented areas where scrub resistance and resistance against detergents is essential like public buildings, schools, hospitals, corridors et cetera. KEIM Ecosil is a longlife breathable coating and does not impair the water vapor permeability of the substrate.


KEIM Intact is a universal, internal, mineral based silicate slurry coat. KEIM Intact can be used as a filling base coat, as a finishing coat or as a slurry additive to KEIM Biosil and KEIM Ecosil for a priming coat or equalization of differences in the texture. It can also be used to obtain a coarse structure on smooth surfaces like gypsum plaster board.



Technical Data

Product	Water vapor diffusion resistance	Specific gravity
KEIM Biosil	sd = 0,02 m	1,43 g/cm ³
KEIM Biosil-Grund	sd = 0,03 m	1,35 g/cm ³
KEIM Biosil-Spachtel	sd = 0,02 m	1,60 g/cm ³
KEIM Ecosil	sd = 0,02 m	1,50 g/cm ³
KEIM Ecosil-Grund	sd = 0,03 m	1,37 g/cm ³
KEIM Intact	sd = 0,02 m	1,58 g/cm ³

Product characteristics of KEIM Interior Paints





The KEIM Biosil System

Product	Description	Application
KEIM Biosil	Silicate based paint to be diluted with Spezial-Fixativ in accordance with specification, matt finish. Available in over 200 standard shades.	Application by brush or roller or airless-spraying equipment.
KEIM Biosil-Grund	Silicate based base coat for Biosil to equalize different textures and absorbencies, white. To be used as a priming coat for gypsum plaster board.	Application by brush or roller as first coat, followed by one coat of Biosil. Must be applied undiluted.
KEIM Biosil-Spachtel	Silicate based filler to equalize texture differences, white.	Application by spatula or trowel, followed by Biosil when cured.
KEIM Intact	Silicate based slurry coat or slurry additive to Biosil and Ecosil, as priming, finishing or levigating coat, white. Available in over 200 standard shades.	Application by brush or roller.
KEIM Spezial-Fixativ	Silicate based thinner for KEIM mineral paints. Can also be used as a surface stabilizer in certain cases.	Application by brush.

The KEIM Ecosil System

Product	Description	Application
KEIM Ecosil	Silicate based paint on substrates in heavily frequented areas, scrub-resistant, to be diluted with Spezial-Fixativ in accordance with specification, matt finish. Available in over 200 standard shades.	Application by brush or roller or airless-spraying equipment.
KEIM Ecosil-Grund	Silicate based, filled base coat for KEIM Ecosil to equalize different structures and absorbencies, white. To be used as a priming coat for gypsum plaster board or synthetic resin bound coats.	Application by brush or roller as first coat, followed by one coat of Ecosil. Must be applied undiluted.
KEIM Intact	Silicate based slurry coat or slurry additive to Biosil and Ecosil, as priming, finishing or levigating coat, white. Available in over 200 standard shades.	Application by brush or roller.
KEIM Spezial-Fixativ	Silicate based thinner for KEIM mineral paints. Can also be used as a surface stabilizer in certain cases.	Application by brush.

For further information please see the technical data sheets.

Also available: -Anti-allergenic paints: Allergosil®
- Lime paints: Athenit®

KEIM – world-wide

Austria

KEIMFARBEN
Ges.m.b.H.

Czech Republik

KEIMFARBEN S.R.O.

France

PEINTURES MINERALES **KEIM**

Italy

KEIMFARBEN
Colori Minerali SRL

Netherlands

KEIMNEDERLAND B.V.
mineralverven

Poland

KEIM FARBY MINERALNE SP.Z.O.O.

Scandinavia

KEIM SCANDINAVIA A/S

South East Asia

KEIM MINERAL PAINTS
PTE. LTD.

Switzerland


KEIMFARBEN AG

United Kingdom

KEIM MINERAL PAINTS LTD.

Agents in

**Australia
Canada
Croatia
Cyprus
Finland
Greece
Hungary
Iceland
Latvia
Luxemburg
New Zealand
Norway
Romania
Russia
South Africa
Spain
USA**



Further information on our products and systems or the nearest distributor may be obtained from:



KEIMFARBEN
GmbH & Co. KG

Export
Keimstraße 16
86420 Diedorf
Germany

Tel. 00 49 821 4802 109
Fax 00 49 821 4802 173
export@keimfarben.de
www.keimfarben.de